	Application No.	Applicant(s)
Notice of Allewshills.	10/623,622	SAKAI ET AL.
Notice of Allowability	Examiner	Art Unit
	Brent A Swarthout	2636
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-4</u> .		
3. The drawings filed on 22 July 2003 are accepted by the Examiner.		
<ul> <li>4.</li></ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") mus  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	on's Patent Drawing Review (PTO-5 s Amendment / Comment or in the O 84(c)) should be written on the drawir	Office action of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 11102004</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn	e

1. The following is an examiner's statement of reasons for allowance: the prior art does not adequately disclose an occupant determining device comprising a controller

for calculating a load value on a seat to sense an occupant wherein an occupant state is

switched to an adult determination state when a time delay elapses after detected load

value has exceeded a first threshold and the controller sets a shorter delay time when

detected load value exceeds a first threshold within a set time after the detected load

exceeds a second determination threshold.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Fleming, Pramler, Norton, Reich, Winkler, Ishida and Stephan disclose vehicle seat occupancy detection systems.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brent A Swarthout whose telephone number is 571-272-2979. The examiner can normally be reached on M-F from 6:30 to 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeff Hofsass, can be reached on 571-272-2981. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Application/Control Number: 10/623,622

Art Unit: 2636

,622 Page 3

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

**Brent A Swarthout** 

Examiner

Art Unit 2636

BRENT A. SWARTHOUT PRIMARY EXAMINER